

L Number	Hits	Search Text	DB	Time stamp
-	1506	(downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:50
-	22	((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server)) and (applet with (selection near3 screen) or (selection near3 processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:33
-	13	((((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server)) and (applet with (selection near3 screen) or (selection near3 processor))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:01
-	0	(((((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server)) and (applet with (selection near3 screen) or (selection near3 processor))) and @ad<19991221) and ((selec\$4 or choos\$4 or pic\$4) with remote with application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:01
-	12163	((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:00
-	349	((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:00
-	16	(((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server))) and ((selec\$4 or choos\$4 or pic\$4) with remote with application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:01
-	8	(((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server))) and ((selec\$4 or choos\$4 or pic\$4) with remote with application)) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 16:38
-	139	(((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server))) and (downloa\$4 with applet with (application or program or selection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 16:38
-	2	("6131116").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:06
-	450	(downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet near5 applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:51

-	450	(downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with (applet near5 applet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:51
-	29	(((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with (applet near5 applet) with (storage or memory or repository or server))) and (downloa\$4 with applet with (application or program or selection))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:53
-	393	(telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient") near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:32
-	450	(telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:17
-	18	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient") near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same automat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:33
-	27	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same automat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:41
-	13	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same automat\$6 and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:43
-	62	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same ((acces\$4 or selec\$4) with application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 10:41
-	32	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same ((acces\$4 or selec\$4) with application)) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 10:33
-	0	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same shortcut	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 10:29
-	66	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same ((acces\$4 or selec\$4) with (application or sna))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:12
-	35	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same ((acces\$4 or selec\$4) with (application or sna))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 10:41

-	16	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same applet same application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 10:41
-	4	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same applet same application) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 10:41
-	76	(((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server))) and (downloa\$4 with applet with (application or program or selection))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:21
-	60	(((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with applet with (storage or memory or repository or server))) and (downloa\$4 with applet with (application or program or selection))) and @ad<19991221 and ((acces\$4 or selec\$4) with (application or sna))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:14
-	75	((((709/217) or (709/218) or (709/219) or (709/201) or (709/202) or (709/203) or (709/227) or (709/228) or (709/229)).CCLS.) and ((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file)) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 14:14
-	606	(user same (select\$3 near5 application) same remote\$2 and local\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 14:16
-	219	((user same (select\$3 near5 application) same remote\$2 and local\$2)) and (access\$3 near4 application) same remote\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:54
-	30	((user same (select\$3 near5 application) same remote\$2 and local\$2)) and (access\$3 near4 application) same remote\$2 and (download\$3 same (applet or servlet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:01
-	11	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient") near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4)) same automat\$6) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 14:10
-	14	((user same (select\$3 near5 application) same remote\$2 and local\$2)) and (access\$3 near4 application) same remote\$2 and (download\$3 same (applet or servlet))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:10
-	30	((user same (select\$3 near5 application) same remote\$2 and local\$2)) and (((user same (select\$3 near5 application) same remote\$2 and local\$2)) and (access\$3 near4 application) same remote\$2 and (download\$3 same (applet or servlet)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:02
-	50	((user same (select\$3 near5 application) same remote\$2 and local\$2)) and (download\$3 same (applet or servlet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:01

-	23	((user same (select\$3 near5 application) same remote\$2 and local\$2)) and (download\$3 same (applet or servlet))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:57
-	216	((access\$3 near4 application) same remote\$2) and (download\$3 same (applet or servlet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:56
-	36	((access\$3 near4 application) same remote\$2) and (download\$3 same (applet or servlet)) same select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:01
-	105	(((((select\$3 near5 application) same remote\$2 same local\$2)) or (access\$3 near4 application) same remote\$2) and (download\$3 with (applet or servlet))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:15
-	3	(((((select\$3 near5 application) same remote\$2 same local\$2)) or (access\$3 near4 application) same remote\$2) and (download\$3 with (applet or servlet) same save\$2)) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:15
-	18	(telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file) or applet) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with save\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:29
-	13	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file) or applet) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with save\$1) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:19
-	299	(telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file) or applet) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with (save\$1 or store\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:30
-	114	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file) or applet) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with (save\$1 or store\$1)) same application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:31
-	1	((telnet or tn3270 or tn5250 or pcomm or "host on demand" or "webclient" or (client adj applet) or (client adj flat adj file) or applet) near5 (downloa\$4 or retriev\$3 or obtai\$4 or acces\$4) with (save\$1 or store\$1)) same application) same remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 08:31
-	702	(determin\$3 near2 client) with application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 08:48
-	57	(determin\$3 near2 client) with application with select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:33
-	18	((determin\$3 near2 client) with application with select\$3) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 09:44

-	0	((on adj demand) near2 client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 09:12
-	41	(download\$3 with ((client adj applet) or (client adj flat adj file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 09:44
-	16	((download\$3 with ((client adj applet) or (client adj flat adj file)))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:03
-	0	(determin\$3 near10 tn3270) with application with select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:33
-	0	(determin\$3 near10 "3270") with application with select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:33
-	0	(determin\$3 near10 telnet) with application with select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:34
-	2	("6327662").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:03
-	12	(download\$3 with (access adj parameters))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:05
-	4	((download\$3 with (access adj parameters))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:05
-	3	(download\$3 with (flat adj file) with access\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:07
-	1	((download\$3 with (flat adj file) with access\$3)) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:08
-	73	(download\$3 with (file near3 access\$3) with application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:08
-	38	((download\$3 with (file near3 access\$3) with application)) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 14:08
-	47	(download\$3 with (telnet or tn3270 or "3270"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 15:36

-	21	((download\$3 with (telnet or tn3270 or "3270"))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 15:37
-	128	(remote with application with (telnet or tn3270 or "3270"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 15:37
-	71	((remote with application with (telnet or tn3270 or "3270"))) and @ad<19991221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 16:27
-	2	("6457099").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 16:27